

EXspect 231 NIR absorption sensor in compact design



- Compact design with integrated amplifier and touch display
- >>> %-absorption / EBC / FAU / mg/l / AU / OD or cusomer defined unit
- » Durable sapphire lens
- >> Hygienic Design, CIP-capable
- LED light source guarantees a durable and stable signal
- > Easy parameterization via display or software EXpert

EXspect 231 is a high-precision NIR compact sensor for monitoring production processes in the food and pharmaceutical industries as well as in many areas of further process applications, which can be optimally adapted to the respective measuring task

Specifications

Measuring range max. 0-100 % / 0...6 AU /

0...6600 EBC

Resolution 0,1 % or 0,01 AU

Accuracy ± 1 % from measurement value

Reproducibility ≤ 1 % from final value

Wavelength 850 nm Light source LED

Optical path length 5, 10 or 20 mm

Material Stainless steel 1.4435

(316L)

Surface e-polished Ra <0,37 µm

Window Sapphire Supply voltage 24 V DC

Contact NO or NC configurable

150 mA

Input contact zeroing

Process connection Thread G1/2 "

Process temperature 0 ... 90 °C

Process pressure max. 10 bar (150 psi)
Electrical connection M12 connector 5-pin or

8-pin (digital parameterizable)


Cable length 2 m / 5 m Interfaces 4 ... 20 mA with

switching contact

Parameterization Software EXpert

Protection class IP69


Typical Measurements







EXspect 231 NIR absorption sensor in compact design



Ordercode

Code	Measuring range	Delivery
Α	0100% Absorption	3 weeks
В	03.5 AU / 03850 EBC / 07 OD	3 weeks
С	06 AU / 06600 EBC / 012 OD	3 weeks

Code	Optical path length	Delivery
05	5 mm	3 weeks
10	10 mm	3 weeks
20	20 mm	3 weeks

Code	Material (wetted parts)	Delivery
4435	Stainless steel 1.4435 / 316L	3 weeks

Code	Sealing material (wetted sealings)	Delivery
MET	Metal sealing (without elastomer)	3 weeks

Code	Process connection	Delivery
G12	Thread G1/2"	3 weeks

Code	Interface	Delivery
AS	Analogue 420 mA / M12 5 pin	3 weeks
AD	Analogue 420 mA / digitally parameterizable / M12 8 pin	3 weeks

Code	Display	Delivery
1	With integrated display	3 weeks

